# Safety Data Sheet Whiteboard Rejuvenation Fluid

# **Section 1:** Product identification and Description.

Product Name: Whiteboard Rejuvenation Fluid

Intended Use: This product is intended as an environmentally friendly cleaning solution for the

removal of permanent ink and the rejuvenation of the surface of dry erase boards.

**Initial Manufacturer**: GMS Surface Tech

47 Ponderosa Drive, Antigonish, Nova Scotia

Postal Code: B2G 2R4

**Telephone**: (902) 595-2697

**Emergency telephone**: as above

# Section 2: Hazards identification.

**Emergency overview State of matter: liquid** 

Colour - Opaque, whitish fluid.

**Odour** – Essentially odourless in formulation – evaporated product can have mild surfactant like

odour.

**GHS Classification – Signal word** – Warning.

**Pictogram** 



#### **Potential health effects**

**Physical hazards** – not classified.

**Health hazards** – eye damage/eye irritation – Category 2A.

**Environmental hazards** – In concentrated form, possible long term hazard for aquatic environments – Category 2.

**Hazardous to the aquatic environment** – Hazardous to the aquatic environment – possible long-term hazard in concentrated form – Category 3.

**Hazard statement** – Harmful if swallowed. Causes skin irritation. Causes serious eye irritation.

Toxic to aquatic life. Harmful to aquatic life with long lasting effects.

**Precautionary statement** – Prevention Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Avoid release to the environment. Wear protective gloves. Wear eye/face protection.

**Response** If swallowed: Call a poison center/doctor if you feel unwell. Rinse mouth. If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Specific treatment (see this label). If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash before reuse.

**Storage** – Store away from incompatible materials.

**Disposal** – Dispose of contents/container in accordance with local/regional/national/international regulations.

**OSHA Defined Hazards** – Not classified

**Section 3:** Ingredients/Identity/Composition.

Ingredient	CAS Number	Approx. Composition	Trade Secret
Granular Material (Sodium/Potassium Aluminosilicate Mixture)	37244-96-5	4-15%	*
Cocamidopropyl Betaine	61789-40-0	1-10%	*
Sodium Dodecylbenzene sulfonate	25155-30-0	1-10%	*
Sodium Sulfate	7757-82-6	1-10%	*
Water	7732-18-5	to 100%	*

<sup>\*</sup> The exact percentage (concentration) of composition has been withheld as a trade secret

#### **Section 4 : First Aid Procedures**

**General advice** – Consult a physician. Please make medical professionals aware of the SDS. Move out of dangerous area.

**If inhaled** – If inhaled, move person into fresh air. If not breathing, give artificial respiration Consult a physician.

**In case of skin contact** – Remove contaminated clothing and wash skin with soap and plenty of water. Consult a physician.

**In case of eye contact** – Rinse thoroughly with copious amounts of water for at least 15 minutes and consult a physician.

If swallowed – Drink 2 glasses of water or milk. Consult a physician.

**Most Important Symptoms/Effects** – Stinging and irritation of eyes.

# **Section 5 :** Firefighting Measures

**Flash Point** – No flash.

Sensitivity to Static Discharge - None.

**Suitable extinguishing media** – Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

**Special protective equipment for firefighters** – use self-contained breathing apparatus for firefighting if necessary.

**Hazardous combustion products** – Hazardous decomposition products formed under fire conditions.

**Nature of decomposition products** – not known.

**Explosion data/sensitivity to mechanical impact** – No data available.

**Sensitivity to static discharge** – No data available.

#### **Section 6 :** Accidental Release Measures

This product is biodegradable and is classified as non corrosive in solution form. Small spills or leaks can be rendered safe by washing with water and disposal of product in sewer or drain. Avoid contact with eyes.

#### **Section 7:** Safe Handling and Storage.

**Precautions for safe handling** – Handle in accordance with good industrial hygiene and safety practice. Avoid contact with eyes, skin, and clothing. Do not eat, drink, or smoke when using this product.

**Conditions for safe storage, including any incompatibilities** – Keep containers tightly closed in a dry, cool, and well-ventilated place.

**Incompatible Products** None known.

#### **Section 8 : Exposure Control/Personal Protection.**

**Protective gloves** – No special requirements under normal usage conditions.

**Eye protection** – *Avoid contact with eyes*. This product should not require eye/protections or other special eye requirements under normal usage conditions.

**Respiratory protection** – None required.

**Appropriate engineering controls** – No special requirements under normal usage conditions.

# **Section 9: Physical And Chemical Properties.**

Physical state and appearance	Opaque, gel like material.	
Molecular weight	N/A	
pН	6-8	
Colour	White	
Freezing point	close to water	
Vapor pressure	close to water	

Decomposition temperature:	No data available
Stability	Stable in water and certain aqueous media. May be unstable in the presence of added salts, organic solvents, and surfactants.

# **Section 10: Stability and Reactivity Data**

*Note: Dried or evaporated solution is incompatible with oxidizers and strong acids.* No incompatibles known in solution form.

#### **Section 11:** Toxicological Information.

Note: Dried or evaporated solution may be harmful if inhaled or swallowed.

Information on likely routes of exposure

**Skin Absorption of Solution** – None known.

**Skin Contact** – Prolonged contact may cause a trace reddening of skin.

**Eye contact** – Irritant.

# Ingredient toxicological effects

Ingredient	LD 50 Dermal (mg/kg, Rabbit)	LD 50 Oral (mg/kg, Rat)
Granular Material (Sodium/Potassium Aluminosilicate Mixture)	N/A	N/A
Cocamidopropyl Betaine	> 2000	2335
Sodium Dodecylbenzene sulfonate	500-2000	>2000
Sodium Sulfate	>10000	N/A
Water	7732-18-5	to 100%

**Product ATE (Oral)** > 20000 mg/kg

# **Section 12:** Ecological Information.

**General Toxicity Statements** 

**Ecotoxicity** – Toxic to aquatic organisms. Large amounts may be harmful to aquatic life. **Persistence and Degradability** – Product is classified as biodegradable and non-corrosive in solution form.

**Bioaccumulation** – No information available.

**Other Adverse Effects** – No information available.

# **Section 13:** Disposal methods

Dispose of in accordance with all applicable federal, provincial, and local regulations.

# **Section 14:** Transport Regulations.

TDG classification: non-regulated DOT classification: non-regulated IATA classification: non-regulated

#### **Section 15:** Regulatory Information

WHMIS 1998 Hazard Class D2B – Toxic Materials (eye and skin irritant).

#### **Section 16: Other Information**

Prepared by: GMS Surface Tech

47 Ponderosa Drive, Antigonish, Nova Scotia

Postal Code: B2G 2R4

Telephone: (902) 595-2697

Emergency telephone: as above Date: September 1st, 2020.

#### **Disclaimer:**

The above information is believed to be correct but does not claim to be comprehensive. The intent of this document is as a guide only. The information contained in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions undertaken by the end-user. It does not represent any guarantee of the properties of the product. GMS Surface Tech shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale.